1998 ANNUAL INDEX OF THE JOURNAL OF COATINGS TECHNOLOGY

Volume 70 — Numbers 876-887
January–December, 1998

Keyword Subject Index

Additives

Anticrater ..... Sept., p. 71
Antifoulant ..... June, p. 85
Defoamer ..... Oct., p. 157
Rheological Agent ..... Sept., p. 71
Surfactant ..... Sept., p. 71
Wetting Agent ..... Dec., 53

Analysis

Accelerated Testing ..... Jan., p. 70; Mar., p. 59
Differential Scanning Calorimetry ..... Jan., p. 95; Feb., p. 83; ..... July, p. 67
Electrochemical Impedance ..... July, p. 43
Evaporation Rate ..... Feb., p. 97
Finite Element Analysis ..... Oct., p. 141
Fluorescent Microscopy ..... Feb., p. 83
FTIR Spectroscopy ..... Feb., p. 83; May, p. 65; July, p. 53; July, p. 67
Gas Chromatography ..... Feb., p. 75
Gel Permeation Chromatography ..... Jan., p. 95
Glass Transition Temperature ..... June, p. 69
Karl Fischer Titrations ..... Apr., p. 49
Light Microscopy ..... Feb., p. 83
Mass Spectrometry ..... Jan., p. 83; Feb., p. 75
MEK Double Rubs ..... Feb., p. 97; Dec., 53
Microautoradiography ..... Mar., p. 49
Nuclear Magnetic Resonance . Jan., p. 83; Jan., p. 95; July, p. 53
Pencil Hardness ..... Feb., p. 97
Regression Data Analysis ..... Nov., p. 23
Reverse Impact ..... Dec., 53
Scanning Electron Microscopy ..... June, p. 77
Solvents, VOC ..... Apr., p. 49
Stress Measurement ..... June, p. 69
Thermogravimetric Analysis ..... July, p. 67
Transmission Electron Microscopy ..... June, p. 77
Ultraviolet Spectroscopy ..... May, p. 65
X-ray Photoelectron Spectroscopy ..... June, p. 77

Chemical Processes

Corrosion ..... May, p. 55; July, p. 43; July, p. 61; Sept., p. 63
Chemical Modification ..... Mar., p. 59
Crosslinking ..... Jan., p. 83; Apr., p. 35; May, p. 73; June, p. 57; July, p. 43; July, p. 53; Aug., p. 47; Dec., 63
Encapsulation ..... June, p. 77
Photodegradation ..... May, p. 45; May, p. 65
Photooxidation ..... May, p. 65
Polymerization ..... Jan., p. 95; Nov., p. 23
Stabilization ..... Dec., 53
Synthesis ..... Jan., p. 95; Apr., p. 43; Sept., p. 57
Weathering ..... Apr., p. 27; July, p. 53; Oct., p. 141

Classes of Coatings

Automotive ..... Feb., p. 83; Oct. p. 141
Can ..... Feb., p. 69, Feb., p. 75
High-Solids ..... Apr., p . 35; July, p. 53; Sept., p. 71
Latex ..... Apr., p. 49
Powder ..... Sept., p. 57
Solventborne ..... Sept., p. 71
UV, EB, Radiation Cure ..... Mar., p. 59 ; Sept., p. 57; Oct., p. 151; Dec., 53
Water-based ..... May, p. 65
Waterborne ..... Mar., p. 39; May, p. 73; June, p. 77; Aug., p. 41; Oct., p. 157; Nov., p. 19
Wood ..... Mar., p. 39; Mar., p. 49; Mar., p. 59

Coatings Components

Acrylic ..... Jan., p. 83; Feb., p. 83; Mar., p. 39; May, p. 65; May, p. 73; June, p. 69; Aug., p. 47
Alkyd ..... Mar., p. 49 Apr., p. 27; June, p. 85; July, p. 53; Nov., p. 19
Aluminum ..... July, p. 53
Bisphenol A ..... Feb., p. 69; Feb., p. 75
Emulsions ..... Mar., p. 39; Nov., p. 19
Epoxy ..... Feb., p. 69; Feb., p. 75; Dec., 53
Latex ..... June, p. 69; June, p. 85
Melamine ..... Feb., p. 83; Apr., p. 35; June, p. 69; Aug., p. 47
Oils ..... Mar., p. 49; Apr., p. 43; July, p. 43; Aug., p. 47
Photoinitiator ..... Oct., p. 151; Nov., p. 23
Polyurethane ..... July, p. 67
Reactive Diluent ..... Dec., 53
Silicone ..... May, p. 73

Coatings

Automotive ..... Feb., p. 83; Oct., p. 141
Basecoat ..... Feb., p. 83
Can ..... Feb., p. 69, Feb., p. 75
Characterization ..... Sept., p. 57
Clearcoat ..... Feb., p. 83; Oct., p. 141
Condensation (Anti-) ..... Aug., p. 55
Corrosion (Anti-) ..... May, p. 55; July, p. 43; July, p. 61; Sept., p. 63
Crosslinking ..... Jan., p. 83, Apr., p. 35; May, p. 73; June, p. 57; Aug., p. 47; Dec., AA
Curing ..... Feb., p. 97; Apr., p. 35; May, p. 73; June, p. 57; June, p. 69; July, p. 67; Sept., p. 57
Defects ..... Sept., p. 71; Oct., p. 157

1998 ANNUAL INDEX OF THE JOURNAL OF COATINGS TECHNOLOGY

Volume 70 — Numbers 876-887
January–December, 1998

Keyword Subject Index

Additives

Anticrater ..... Sept., p. 71
Antifoulant ..... June, p. 85
Defoamer ..... Oct., p. 157
Rheological Agent ..... Sept., p. 71
Surfactant ..... Sept., p. 71
Wetting Agent ..... Dec., 53

Analysis

Accelerated Testing ..... Jan., p. 70; Mar., p. 59
Differential Scanning Calorimetry ..... Jan., p. 95; Feb., p. 83; ..... July, p. 67
Electrochemical Impedance ..... July, p. 43
Evaporation Rate ..... Feb., p. 97
Finite Element Analysis ..... Oct., p. 141
Fluorescent Microscopy ..... Feb., p. 83
FTIR Spectroscopy ..... Feb., p. 83; May, p. 65; July, p. 53; July, p. 67
Gas Chromatography ..... Feb., p. 75
Gel Permeation Chromatography ..... Jan., p. 95
Glass Transition Temperature ..... June, p. 69
Karl Fischer Titrations ..... Apr., p. 49
Light Microscopy ..... Feb., p. 83
Mass Spectrometry ..... Jan., p. 83; Feb., p. 75
MEK Double Rubs ..... Feb., p. 97; Dec., 53
Microautoradiography ..... Mar., p. 49
Nuclear Magnetic Resonance . Jan., p. 83; Jan., p. 95; July, p. 53
Pencil Hardness ..... Feb., p. 97
Regression Data Analysis ..... Nov., p. 23
Reverse Impact ..... Dec., 53
Scanning Electron Microscopy ..... June, p. 77
Solvents, VOC ..... Apr., p. 49
Stress Measurement ..... June, p. 69
Thermogravimetric Analysis ..... July, p. 67
Transmission Electron Microscopy ..... June, p. 77
Ultraviolet Spectroscopy ..... May, p. 65
X-ray Photoelectron Spectroscopy ..... June, p. 77

Chemical Processes

Corrosion ..... May, p. 55; July, p. 43; July, p. 61; Sept., p. 63
Chemical Modification ..... Mar., p. 59
Crosslinking ..... Jan., p. 83; Apr., p. 35; May, p. 73; June, p. 57; July, p. 43; July, p. 53; Aug., p. 47; Dec., 63
Encapsulation ..... June, p. 77
Photodegradation ..... May, p. 45; May, p. 65
Photooxidation ..... May, p. 65
Polymerization ..... Jan., p. 95; Nov., p. 23
Stabilization ..... Dec., 53
Synthesis ..... Jan., p. 95; Apr., p. 43; Sept., p. 57
Weathering ..... Apr., p. 27; July, p. 53; Oct., p. 141

Classes of Coatings

Automotive ..... Feb., p. 83; Oct. p. 141
Can ..... Feb., p. 69, Feb., p. 75
High-Solids ..... Apr., p . 35; July, p. 53; Sept., p. 71
Latex ..... Apr., p. 49
Powder ..... Sept., p. 57
Solventborne ..... Sept., p. 71
UV, EB, Radiation Cure ..... Mar., p. 59 ; Sept., p. 57; Oct., p. 151; Dec., 53
Water-based ..... May, p. 65
Waterborne ..... Mar., p. 39; May, p. 73; June, p. 77; Aug., p. 41; Oct., p. 157; Nov., p. 19
Wood ..... Mar., p. 39; Mar., p. 49; Mar., p. 59

Coatings Components

Acrylic ..... Jan., p. 83; Feb., p. 83; Mar., p. 39; May, p. 65; May, p. 73; June, p. 69; Aug., p. 47
Alkyd ..... Mar., p. 49 Apr., p. 27; June, p. 85; July, p. 53; Nov., p. 19
Aluminum ..... July, p. 53
Bisphenol A ..... Feb., p. 69; Feb., p. 75
Emulsions ..... Mar., p. 39; Nov., p. 19
Epoxy ..... Feb., p. 69; Feb., p. 75; Dec., 53
Latex ..... June, p. 69; June, p. 85
Melamine ..... Feb., p. 83; Apr., p. 35; June, p. 69; Aug., p. 47
Oils ..... Mar., p. 49; Apr., p. 43; July, p. 43; Aug., p. 47
Photoinitiator ..... Oct., p. 151; Nov., p. 23
Polyurethane ..... July, p. 67
Reactive Diluent ..... Dec., 53
Silicone ..... May, p. 73

Coatings

Automotive ..... Feb., p. 83; Oct., p. 141
Basecoat ..... Feb., p. 83
Can ..... Feb., p. 69, Feb., p. 75
Characterization ..... Sept., p. 57
Clearcoat ..... Feb., p. 83; Oct., p. 141
Condensation (Anti-) ..... Aug., p. 55
Corrosion (Anti-) ..... May, p. 55; July, p. 43; July, p. 61; Sept., p. 63
Crosslinking ..... Jan., p. 83, Apr., p. 35; May, p. 73; June, p. 57; Aug., p. 47; Dec., AA
Curing ..... Feb., p. 97; Apr., p. 35; May, p. 73; June, p. 57; June, p. 69; July, p. 67; Sept., p. 57
Defects ..... Sept., p. 71; Oct., p. 157

Exterior ..... Apr., p. 27
Failure ..... Oct., p. 141
Fouling (Anti-) ..... May, p. 55; June, p. 85
Grafting ..... Dec., 69
High-Solids ..... Apr., p . 35; July, p. 53; Sept., p. 71
Migration ..... Feb., p. 69; Feb., p. 75
Multicoat System ..... June, p. 69
Organic ..... June, p. 69
Performance ..... Oct., p. 165
Powder ..... Sept., p. 57
Primer ..... July, p. 43
Product Development Cycle ..... Jan., p. 70
Service Life Prediction ..... Jan., p. 70
Solventborne ..... Sept., p. 71
Stress ..... Oct., p. 141
Structure/Property Relationships ..... Mar., p. 39
Synthesis ..... Sept., p. 57
Thermoplastic ..... Sept., p. 63
Two-Component ..... May, p. 73; July, p. 67
UV, EB, Radiation Cure ..... Mar., p. 59; Sept., p. 57; Oct., p. 151; Dec., 53
Waterborne ..... Mar., p. 39; May, p. 73; June, p. 77; Aug., p. 41; Oct., p. 157; Nov., p. 19
Water Sorption ..... Aug., p. 55
Weathering ..... Apr., p. 27; July, p. 53; Oct., p. 141
Wood ..... Mar., p. 39; Mar., p. 49; Mar., p. 59

Coatings Processes

Curing ..... Feb., p. 97; Apr., p. 35; May, p. 73; June, p. 57; June, p. 69; July, p. 67; Sept., p. 57
Drying ..... Mar., p. 59; July, p. 67; Nov., p. 19
UV, EB, Radiation Cure ..... Mar., p. 59; Sept., p. 57; Oct., p. 151; Dec., 53

Coatings Properties

Adhesion ..... Mar., p. 39; Mar., p. 59; Sept., p. 63; Dec., 53
Antifouling, Biofouling ..... May, p. 55; June, p. 85
Corrosion Resistance ..... May, p. 55; July, p. 43; July, p. 61; Sept., p. 63; Dec., 69
Defects ..... Sept., p. 71
Durability ..... May, p. 65; Oct., p. 165
Elasticity ..... June, p. 69
Migration ..... Feb., p. 69; Feb., p. 75
Penetration ..... Mar., p. 49
Service Life Prediction ..... Jan., p. 70
Weatherability ..... Apr., p. 27; May, p. 45; July, p. 53; Oct., p. 141

Computer Applications

Formulation ..... Jan., p. 103
Modeling ..... May, p. 45
Simulation ..... May, p. 45

Environmental Concerns, Regulations

Acid Rain ..... Feb., p. 83
EPA Method 24 ..... Apr., p. 49
Flammability ..... Oct., p. 161
Food Simulants ..... Feb., p. 69; Feb., p. 75
Hazardous Air Pollutants (HAPs) ..... Oct., p. 161
Health ..... Feb., p. 69; Feb., p. 75
Safety ..... Jan. p. 101
Solvents ..... Oct., p. 161
Toxicity ..... Oct., p. 161
Transportation ..... Jan., p. 101
VOC Control ..... Apr., p. 49

Films

Curing ..... Feb., p. 97
Formation ..... June, p. 57

Formulation

Models ..... May, p. 45

Oils

Castor Oil ..... Aug., p. 47
Linseed Oil ..... Mar., p. 49; Apr., p. 43; July, p. 43

Pigments

Aluminum ..... June, p. 77
Diffusion ..... June, p. 57
Dispersion ..... May, p. 45; Aug., p. 41
Particle Size ..... May, p. 45
Performance ..... May, p. 73

Polymeric Components

Acrylic ..... Jan., p. 83; Feb., p. 83; Mar., p. 39; May, p. 65; May, p. 73; June. p. 69; Aug., p. 47
Alkyd ..... Mar., p. 49; Apr., p. 27; June, p. 85; Nov., p. 19
Epoxy ..... Feb., p. 69; Feb., p. 75; Dec., 53
Melamine ..... Feb., p. 83; Apr., p. 35; June., p. 69; Aug., p. 47
Polyurethane ..... July, p. 67

Polymers

Emulsions ..... Mar., p. 39; Nov., p. 19
Polymerization ..... Jan., p. 95; Nov., p. 23

Solvents

Diluent ..... Dec., AA
Hazardous Air Pollutants (HAPs) ..... Oct., p. 161
VOC ..... Oct., p. 161

Substrates

Aluminum ..... Dec., 69
Cans ..... Feb., p. 69, Feb., p. 75
Coatings/Substrate Interface ..... July, p. 61
Ships ..... Aug., p. 55
Sheet Molding Compound ..... July, p. 67
Steel ..... July, p. 61; Sept., p. 63
Wood ..... Mar., p. 39; Mar., p. 49; Mar., p. 59

Alphabetical Listing of Papers

Acrylate Grafted Dehydrated Castor Oil Alkyd—A Binder for Exterior Paints—S. Majumdar, D. Kumar, and Y.P.S. Nirvan, Apr., p. 27

Adhesion of Waterborne Paints to Wood—S.L. Bardage and J. Bjurman, Mar., p. 39.

Air Convective Drying and Curing of Polyurethane-Based Paints on Sheet Molding Compound Surfaces—S. Vessot, J. Andrieu, P. Laurent, J. Galy, and J.F. Gérard, July, p. 67.

Aluminum Compounds as Additional Crosslinkers for Air-Drying High-Solids Alkyd Paints—W.J. Muizebelt, J.C. Hubert, R.A.M. Venderbosch, A.J.H. Lansbergen, R.P. Klaasen, and K.H. Zabel, July, p. 53.

Chemoenzymatic Synthesis and Characterization of Urethane Oils for Surface Coatings—V.D. Athawale and M.D. Bhabhe, Apr., p. 43.

Comparative Study of Photoinitiator Curing Efficiency Using Regression Data Analysis—C.-H. Chang and T. Nguyen, Nov., p. 23.

Computers in the Coatings Industry—The Next 10 Years—C. Rooney and C.E. Bangert, Jr., Jan., p. 103.

Conference Presentations: Intellectual Property Issues—Disclosing Your Work at a Conference Can Affect Its Patentability—I.D. Clark, June, p. 91.

Control of Film Defects in Solventborne High-Solids Coatings: The Non-Additives vs. a New Additives Approach—J. Schwartz, B.A. Moyer, and R.E. Smith, Sept., p. 71.

Crosslink Density and Cure Window of Oligourethane Diol/Melamine High-Solids Coatings—S. Haseebuddin, K.V.S.N. Raju, and M. Yaseen, Apr., p. 35.

Decomposable Crosslinking Paint—Y. Nakayama, Dec., p. 63.

Defoamer Selection in Waterborne Coatings—R.A. Reinhardt, W. Heilen, E. Walhorn, S. Silber, and J.W. Adams, Oct., p. 157.

Design of Polymeric Dispersants for Waterborne Coatings—S. Creutz, R. Jérôme, G.M.P. Kaptijn, A.W. van der Werf, and J.M. Akkerman, Aug., p. 41.

Development of Iodopropynyl Carbamates as Preservatives for Paint and Coatings—R. Gruening, June, p. 85.

Development of Methods for the Determination of Bisphenol A in Food Simulants—R.J. Wingender, P. Niketas, and C.K. Switala, Feb., p. 75.

Development of a Recycled Polymer Coating for Steel Corrosion Protection: An Adhesion Study—F. Bourgés-Fricoteaux and O. Savadogo, Sept., p. 63.

Driers for Waterborne Coatings—R.W. Hein, Nov., p. 19

Effect of Siloxane Functionalized Caprolactone Polyols on Photocurable Epoxy Coatings—S. Wu and M.D. Soucek, Dec., p. 53.

Effect of Weathering on the Stress Distribution and Mechanical Performance of Automotive Paint Systems—M.E. Nichols and C.A. Darr, Oct., p. 141.

Evaluation of the Degree of Cure of a Coating—K. Sharp, G. Mattson, and S. Jönsson, Feb., p. 97.

Formation and Crosslinking of Latex Films through the Reaction of Acetoacetoxy Groups with Diamines under Ambient Conditions—J. Feng, H. Pham, P. Macdonald, M.A. Winnik, J.M. Geurts, H. Zirkzee, S. van Es, and A.L. German, June, p. 57.

Hazardous Materials Transportation Issues in Our Industry—L.W. Bierlein, Jan., p. 101

Investigation of the Effects of Formulation on Selected Properties of UV Curable IPN Coatings—Detroit Society for Coatings Technology Technical Committee, Oct., p. 151.

Invisible Ink and Unfair Competition: Metatags Hit the Internet—R. Baron, June, p. 92.

Measurement of Stress in Multicoat Systems—A.E. Boerman and D.Y. Perera, June, p. 69.

Microautoradiographic Studies of the Penetration of Alkyd, Alkyd Emulsion and Linseed Oil Coatings into Wood—R.M. Nussbaum, E.J. Sutcliffe, and A.-C. Hellgren, Mar., p. 49.

Microstructure of Weathered Paint and Its Relation to Gloss Loss: Computer Simulation and Modeling—F.Y. Hunt, M.A. Galler, and J.W. Martin, May, p. 45

Mild Steel Corrosion in Saline Solutions. Comparison Between Bulk Solutions and Steel-Coating Interfacial Solutions—J.M. Bastidas, M. Morcillo, and F.J. Rodríguez, July, p. 61.

Mixed Metal Oxide Inorganic/Organic Coatings—C.R. Wold and M.D. Soucek, July, p. 43

N,N-bis (2-hydroxyethyl) Fatty Amide as Novel Environmentally Friendly Crosslinking Agent for Acid Functional Acrylic Copolymer Resin—P. Pulin N., D.A. Raval, and V.M. Mannari, Aug., p. 47.

New Approach in the Development and Testing of Antifouling Paints Without Organotin Derivatives—K. Vallee-Rehel, B. Mariette, P.A. Hoarau, P. Guerin, V. Langlois, and J.Y. Langlois, May, p. 55.

Novel Ambient Temperature Curable Two-Component Waterborne Silicone-Acrylic Coatings—N. Harui and T. Agawa, May, p. 73.

Novel Anti-Condensation Coating—G. Wang, D. Chen, L. Lu, X. Wang, and Y. Yang, Aug., p. 55.

On the Synthesis and Characterization of New Low Temperature Curing Powder Coatings Cured with Radiation—M. Johansson, H. Falkén, A. Irestedt, and A. Hult, Sept., p. 57.

Oxidative Crosslinking of Alkyd Resins Studied with Mass Spectrometry and NMR Using Model Compounds—W.J. Muizebelt, J.J. Donkerbroek, M.W.F. Nielen, J.B. Hussem, M.E.F. Biemond, R.P. Klaasen, and K.H. Zabel, Jan., p. 83.

Performance of Building Materials in Australia—D.J. Bartlett, Oct., p. 165.

Performance of Finishes on Wood that is Chemically Modified by Acetylation—E.P.J. Beckers, M. de Meijer, H. Militz, and M. Stevens, Mar., p. 59.

Photodegradation of Water-Based Acrylic Coatings Containing Silica—A.M. Morrow, N.S. Allen, and M. Edge, May, p. 65.

Polyacrylamide-Grafted Dextrine Copolymer Coatings—T. Sugama and T. Hanwood, Dec., p. 69.

Potential Exposure to Bisphenol A from Food-Contact Use of Epoxy Coated Cans—S.R. Howe, L. Borodinsky, and R.S. Lyon, Feb., p. 69.

Preparation of Encapsulated Aluminum Pigments by Emulsion Polymerization and Their Characterization—Th. Batzilla and A. Tulke, June, p. 77.

Reducing Product Development Cycle Times Without Increasing Risk—F.L. Floyd, Jan., p. 70.

Step-Growth Polymerization of Unsaturated Aldehydes with Diaminodiphenylmethane—A. Sebenik, Jan., p. 95.
Study of the Attack of Acidic Solutions on Melamine-Acrylic Basecoat/Clearcoat Paint Systems—W.R. Rodgers, D.P. Garner, and G.D. Cheever, Feb., p. 83.
VOC Testing Comparison: EPA Method 24 Versus the Cal Poly Pomona Method—Los Angeles Society for Coatings Technology Technical Committee, Apr., p. 49.
When Disaster Strikes—N.R. Shearer, Feb., p. 101.

Author Index

Adams, J.W.—See Reinhardt, R.A.
Agawa, T.—See Harui, N.
Akkerman, J.M.—See Creutz, S.
Allen, N.S.—See Morrow, A.M.
Andrieu, J.—See Vessot, S.
Athawale, V.D. and Bhabhe, M.D.—Chemoenzymatic Synthesis and Characterization of Urethane Oils for Surface Coatings, Apr., p. 43.

Bangert, C.E.—See Rooney. C.
Bardage, S.L., and Bjurman, J.—Adhesion of Waterborne Paints to Wood, Mar., p. 39.
Baron, R.—Invisible Ink and Unfair Competition: Metatags Hit the Internet, June, p. 92.
Bartlett, D.J.—The Performance of Building Materials in Australia, Oct., p. 165.
Bastidas, J.M., Morcillo, M., and Rodríguez, F.J.—Mild Steel Corrosion in Saline Solutions. Comparison Between Bulk Solutions and Steel-Coating Interfacial Solutions, July, p. 61.
Batzilla, Th. and Tulke, A.—Preparation of Encapsulated Aluminum Pigments by Emulsion Polymerization and Their Characterization, June, p. 77.
Beckers, E.P.J., de Meijer, M., Militz, H., and Stevens, M.—Performance of Finishes on Wood that is Chemically Modified by Acetylation, Mar., p. 59.
Bhabhe, M.D.—See Athawale, V.D.
Biemond, M.E.F.—See Muizebelt, W.J.
Bierlein, L.W.—Hazardous Materials Transportation Issues in Our Industry, Jan., p. 101.
Bjurman, J.—See Bardage, S.L.
Boerman, A.E. and Perera, D.Y.—Measurement of Stress in Multicoat Systems, June, p. 69.
Borodinsky, L.—See Howe, S.R.
Bourgés-Fricoteaux, F. and Savadogo, O.—Development of a Recycled Polymer Coating for Steel Corrosion Protection: An Adhesion Study, Sept., p. 63.

Chang, C.-H., and Nguyen, T.—Comparative Study of Photoinitiator Curing Efficiency Using Regression Data Analysis, Nov., p. 23.
Cheever, G.D.—See Rodgers, W.R.
Chen, D.—See Wang, G.
Clark, I.D.—Conference Presentations: Intellectual Property Issues—Disclosing Your Work at a Conference Can Affect Its Patentability, June, p. 91.
Creutz, S., Jérôme, R., Kaptijn, G.M.P., van der Werf, A.W., and Akkerman, J.M.—Design of Polymeric Dispersants for Waterborne Coatings, Aug., p. 41.

Darr, C.A.—See Nichols, M.E.
de Meijer, M.—See Beckers, E.P.J.
Donkerbroek, J.J.—See Muizebelt, W.J.

Edge, M.—See Morrow, A.M.

Falkén, H.—See Johansson, M.
Feng, J., Pham, H., Macdonald, P., Winnik, M.A., Geurts, J.M., Zirkzee, H., van Es, S., and German, A.L.—Formation and Crosslinking of Latex Films through the Reaction of Acetoacetoxy Groups with Diamines under Ambient Conditions, June, p. 57.
Floyd, F.L.—Reducing Product Development Cycle Times Without Increasing Risk, Jan., p. 70.

Galler, M.A.—See Hunt, F.Y.
Galy, J.—See Vessot, S.
Garner, D.P.—See Rodgers, W.R.
German, A.L.—See Feng, J.
Gérard, J.F.—See Vessot, S.
Geurts, J.M.—See Feng, J.
Gruening, R.—Development of Iodopropynyl Carbamates as Preservatives for Paint and Coatings, June, p. 85.
Guerin, P.—See Vallee-Rehel, K.

Hanwood, T.—See Sugama, T.
Harui, N. and Agawa, T.—Novel Ambient Temperature Curable Two-Component Waterborne Silicone-Acrylic Coatings, May, p. 73.
Haseebuddin, S., Raju, K.V.S.N., and Yaseen, M.—Crosslink Density and Cure Window of Oligourethane Diol/Melamine High-Solids Coatings, Apr., p. 35.
Heilen, W.—See Reinhardt, R.A.
Hein, R.W.—Driers for Waterborne Coatings, Nov., p. 19.
Hellgren, A.-C.—See Nussbaum, R.M.
Hoarau, P.A.—See Vallee-Rehel, K.
Howe, S.R., Borodinsky, L., and Lyon, R.S.—Potential Exposure to Bisphenol A from Food-Contact Use of Epoxy Coated Cans, Feb., p. 69.
Hubert, J.C.—See Muizebelt, W.J.
Hult, A.—See Johansson, M.
Hunt, F.Y., Galler, M.A., and Martin, J.W.—Microstructure of Weathered Paint and Its Relation to Gloss Loss: Computer Simulation and Modeling, May, p. 45.
Hussem, J.B.—See Muizebelt, W.J.

Irestedt, A.—See Johansson, M.

Jérôme, R.—See Creutz, S.
Johansson, M., Falkén, H., Irestedt, A., and Hult, A.—On the Synthesis and Characterization of New Low Temperature Curing Powder Coatings Cured with Radiation, Sept., p. 57.
Jönsson, S.—See Sharp, K.

Kaptijn, G.M.P.—See Creutz, S.
Klaasen, R.P.—See Muizebelt, W.J.
Kumar, D.—See Majumdar, S.

Langlois, J.Y.—See Vallee- Rehel, K.
Langlois, V.—See Vallee-Rehel, K.
Lansbergen, A.J.H.—See Muizebelt, W.J.
Laurent, P.—See Vessot, S.
Lu, L.—See Wang, G.

Lyon, R.S.—See Howe, S.R.

Macdonald, P.—See Feng, J.
Majumdar, S., Kumar, D., and Nirvan, Y.P.S.—Acrylate Grafted Dehydrated Castor Oil Alkyd—A Binder for Exterior Paints, Apr., p. 27.
Mannari, V.M.—See Pulin N., P.
Mariette, B.—See Vallee-Rehel, K.
Martin, J.W.—See Hunt, F.Y.
Mattson, G.—See Sharp, K.
Militz, H.—See Beckers, E.P.J.
Morcillo, M.—See Bastidas, J.M.
Morrow, A.M., Allen, N.S., and Edge, M.—Photodegradation of Water-Based Acrylic Coatings Containing Silica, May, p. 65.
Moyer, B.A.—See Schwartz, J.
Muizebelt, W.J., Donkerbroek, J.J., Nielen, M.W.F., Hussem, J.B., Biemond, M.E.F., Klaasen, R.P., and Zabel, K.H.—Oxidative Crosslinking of Alkyd Resins Studied with Mass Spectrometry and NMR Using Model Compounds, Jan., p. 83.
Muizebelt, W.J., Hubert, J.C., Venderbosch, R.A.M., Lansbergen, A.J.H., Klaasen, R.P., and Zabel, K.H.—Aluminum Compounds as Additional Crosslinkers for Air-Drying High-Solids Alkyd Paints, July, p. 53.

Nakayama, Y.—Decomposable Crosslinking Paint, Dec., p. 63.
Nguyen, T.—See Chang, C.-H.
Nichols, M.E. and Darr, C.A.—Effect of Weathering on the Stress Distribution and Mechanical Performance of Automotive Paint Systems, Oct., p. 141.
Nielen, M.W.F.—See Muizebelt, W.J.
Niketas, P.—See Wingender, R.J.
Nirvan, Y.P.S.—See Majumdar, S.
Nussbaum, R.M., Sutcliffe, E.J., and Hellgren, A.-C.—Microautoradiographic Studies of the Penetration of Alkyd, Alkyd Emulsion and Linseed Oil Coatings Into Wood, Mar., p. 49.

Perera, D.Y.—See Boerman, A.E.
Pham, H.—See Feng, J.
Pulin N., P., Raval, D.A., and Mannari, V.M.—N,N-bis (2-hydroxyethyl) Fatty Amide as Novel Environmentally Friendly Crosslinking Agent for Acid Functional Acrylic Copolymer Resin, Aug., p. 47.

Raju, K.V.S.N.—See Haseebuddin, S.
Raval, D.A.—See Pulin N., P.
Reinhardt, R.A., Heilen, W., Walhorn, E., Silber, S., and Adams, J.W.—Defoamer Selection in Waterborne Coatings, Oct., p. 157.
Rodgers, W.R., Garner, D.P., and Cheever, G.D.—Study of the Attack of Acidic Solutions on Melamine-Acrylic Basecoat/Clearcoat Paint Systems, Feb., p. 83.
Rodríguez, F.J.—See Bastidas, J.M.
Rooney, C. and Bangert, C.E. Jr.—Computers in the Coatings Industry—The Next 10 Years, Jan., p. 103.

Savadogo, O.—See Bourgés-Fricoteaux, F.
Schwartz, J., Moyer, B.A., and Smith, R.E.—Control of Film Defects in Solventborne High-Solids Coatings: The Non-Additives vs. a New Additives Approach, Sept., p. 71.
Sebenik, A.— Step-Growth Polymerization of Unsaturated Aldehydes with Diaminodiphenylmethane, Jan., p. 95.
Sharp, K., Mattson, G., and Jönsson, S.—Evaluation of the Degree of Cure of a Coating, Feb., p. 97.
Shearer, N.R.—When Disaster Strikes, Feb., p. 101.
Silber, S.—See Reinhardt, R.A.
Smith, R.E.—See Schwartz, J.
Soucek, M.D.—See Wold, C.R.
Soucek, M.D.—See Wu, S.
Stevens, S.M.—See Beckers, E.P.J.
Sugama, T. and Hanwood, T.—Polyacrylamide-Grafted Dextrine Copolymer Coatings, Dec., p. 69.
Sutcliffe, E.J.—See Nussbaum, R.M.
Switala, C.K.—See Wingender, R.J.

Tulke, A.—See Batzilla, Th.

Vallee-Rehel, K., Mariette, B., Hoarau, P.A., Guerin, P., Langlois, V., and Langlois, J.Y.—New Approach in the Development and Testing of Antifouling Paints Without Organotin Derivatives, May, p. 55.
van der Werf, A.W.—See Creutz, S.
Van Es, J.—See Feng, J.
Venderbosch, R.A.M.—See Muizebelt, W.J.
Vessot, S., Andrieu, J., Laurent, P., Galy, J., and Gérard, J.F.—Air Convective Drying and Curing of Polyurethane-Based Paints on Sheet Molding Compound Surfaces, July, p. 67.

Walhorn, E.—See Reinhardt, R.A.
Wang, G., Chen, D., Lu, L., Wang, X., and Yang, Y.—Novel Anti-Condensation Coating, Aug., p. 55.
Wang, X.—See Wang, G.
Wingender, R.J., Niketas, P., and Switala, C.K.—Development of Methods for the Determination of Bisphenol A in Food Simulants, Feb., p. 75.
Winnik, M.A.—See Feng, J.
Wold, C.R. and Soucek, M.D.—Mixed Metal Oxide Inorganic/Organic Coatings, July, p. 43.
Wu, S. and Soucek, M.D.—Effect of Siloxane Functionalized Caprolactone Polyols on Photocurable Epoxy Coatings, Dec., p. 53.

Yang, Y.—See Wang, G.
Yaseen, M.—See Haseebuddin, S.

Zabel, K.H.—See Muizebelt, W.J.
Zirkzee, H.—See Feng, J.

Constituent Society Paper

Investigation of the Effects of Formulation on Selected Properties of UV Curable IPN Coatings—Detroit Society for Coatings Technology Technical Committee, Oct., p. 151.

VOC Testing Comparison: EPA Method 24 Versus the Cal Poly Pomona Method—Los Angeles Society for Coatings Technology, Technical Committee, Apr., p. 49.

Spotlights

Pigments: Measurement of Performance—J.H. Braun, May, p. 79.

The Performance of Building Materials in Australia—D.J. Bartlett, Oct., p. 165.

Solvents: Health, Safety, and Environmental Issues—R.L. Stout, Oct., p. 161.